



CFC/

PATENT



014598 (35.C14598)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent of:

HIDEO UKUDA

Appl. No.: 09/606,522

Filed: June 30, 2000

For: OPTICAL MATERIAL AND OPTICAL
SYSTEM USING IT

)
:
Examiner: Edward J. Cain

)
:
Group Art Unit: 1714

)
:
U.S. Patent No.: 6,759,471 B1

)
:
Issued: July 6, 2004

)
:
May 25, 2005

Attn.: CERTIFICATE OF CORRECTION BRANCH

Certificate

MAY 31 2005

of Correction

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

**REQUEST FOR A CERTIFICATE OF CORRECTION
UNDER RULES 322 AND 323**

Sir:

It is respectfully requested that a Certificate of Correction be issued by the Patent and Trademark Office due to errors which appear in the printed patent as a result of Patent and Trademark Office mistakes, and mistakes of a clerical, typographical, or minor character, which were not the fault of the Patent and Trademark Office. A Certificate of Correction form (Form PTO-1050), in duplicate, is enclosed.

Accompanying this letter is a check for \$100.00 to cover the statutory fee for such Certificate of Correction.

05/26/2005 SSITHIB1 00000052 6759471

01 FC:1811

100.00 DP

JUN 01 2005

Patentee's undersigned attorney may be reached in our Washington, D.C. office by telephone at (202) 530-1010. All correspondence should continue to be directed to our address given below.

Respectfully submitted,



Daniel S. Glueck
Attorney for Patentee
Registration No.: 37,838

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
Facsimile: (212) 218-2200

DSG/lp

DC_MAIN 181350v1

Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,759,471 B1

DATED : July 6, 2004

INVENTOR(S) : HIDEO UKUDA

Page 1 of 6

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

IN THE DRAWINGS:

Sheet 13, Figure 14, "SILYCON" should read --SILICONE--.

Column 1

Line 37, "e.g. SPIE" should read --e.g., SPIE--.

Line 59, "Struc" should read --struc--.

Line 67, "then" should read --than--.

Column 2

Line 18, "No. 09-127321" should read -- No. 9-127321--.

Line 32, "etc. In" should read --etc. in--.

Line 47, "Publication Laid-Open No. 6-16450" should read --Application Laid-Open No. 6-16450--.

Line 53, "2-ethozy-ethyl" should read --2-ethoxy-ethyl--.

Column 3

Line 1, "region,.of" should read --region, of--.

Line 20, "O₂" should read --O₂)--.

Line 26, "O₂" should read --O₂)--.

Line 30, "inthird" should read --third--.

Column 5

Line 54, "Example 1:" should read --Example 1;--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 6,759,471 B1

No. of add'l. copies
@ 30¢ per page

Form PTO 1050 (Rev. 3-82)

DSGVlp DC_MAIN 181354



JUN 01 2005

Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,759,471 B1

DATED : July 6, 2004

INVENTOR(S) : HIDEO UKUDA

Page 2 of 6

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 6

Line 29, " χ^j " should read -- χ^1 --.

Line 41, "<40" should read -- ≤ 40 --.

Column 7

Line 62, "an" should read --on--.

Column 8

Line 11, " $(n_d 1.38)$ " should read -- $(n_d = 1.38)$ --.

Line 14, " TiO_2 ," should read -- TiO_2 --.

Line 16, " BaTiO_3 ," should read -- BaTiO_3 --.

Line 63, "6.667" should read --6.667--.

Column 9

Line 25, " TiO_2 ," should read -- TiO_2 --.

Line 27, " TiO_2 ," should read -- TiO_2 --.

Line 36, "In" should read --in--.

Line 37, "6.667" should read --6.667--.

Line 40, " v_b " should read -- v_d --.

Line 63, "6.667" should read --6.667--.

Column 10

Line 19, "with" should read --with PMMA--.

Line 21, "6.667" should read --6.667--.

Column 11

Line 18, " n_d " should read -- n_d --.

Line 22, "film" should read --films--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 6,759,471 B1

No. of add'l. copies
@ 30¢ per page



Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,759,471 B1

DATED : July 6, 2004

INVENTOR(S) : HIDEO UKUDA

Page 3 of 6

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 12

Line 11, "180C" should read --180°C--
Line 19, "U1000" should read --U4000--.
Line 42, "TiO₂," should read --TiO₂--.
Line 48, "(C₄F₉)" should read --(C₄F₉)₃N--.
Line 63, "is" should be deleted.

Column 13

Line 19, "reflective" should read --refractive-- and "V_d" should read --v_d--.
Line 37, "N-3" should read --N-(3--.
Line 39, "TiO₂," should read --TiO₂--.
Line 48, "TiO₂," should read --TiO₂--.
Line 57, "DK7" should read --BK7--.

Column 14

Line 16, "TiO₂," should read --TiO₂--.
Line 43, "1.9581" should read --1.8581--.

Column 15

Line 20, "6.667" should read -- $-6.667 \times 10^{-3} v_d + 1.70$ --.
Line 23, "Kanabo" should read --Kanebo-- .
Line 26, "articles" should read --particles--.
Line 39, "(n_d>1.29)" should read --(n_d=1.29)--.
Line 63, "n_d" should read --(n_d--.
Line 65, "v_d≤'" should read --v_d≤40--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 6,759,471 B1

No. of add'l. copies
@ 30¢ per page



Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,759,471 B1

DATED : July 6, 2004

INVENTOR(S) : HIDEO UKUDA

Page 4 of 6

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 16

Line 5, "TiO₂," should read --TiO₂--.

Line 7, "γ-methacryloxypropyltrimethoxysilane" should read
--γ-methacryloxypropyltrimethoxysilane--.

Line 16, "((n_d=1.59))" should read --(n_d=1.59)--.

Line 17, "((n_d=1.48))" should read --(n_d=1.48)--.

Column 17

Line 34, "ethyltrimethoxysilone" should read --ethyltrimethoxysilane-- .

Line 35, "wan" should read --was--.

Line 53, "BSK7" should read --BK7--.

Column 18

Line 18, "v_d" should read --v_d--.

Line 30, "(n_d, v_d)=(1.5931)" should read --(n_d, v_d)=(1.5938--.

Line 46, "late;" should read --late:--.

Column 19

Line 43, "v_d," should read --v_d--.

Line 50, "TiO₂," should read --TiO₂--.

Line 57, "TiO₂" should read --TiO₂--.

Column 20

Line 2, "on for" should read --on, or for--.

Line 24, "O²" should read --O₂--.

Line 30, "TiO₂," should read --TiO₂--.

Line 67, "due" should read --due to attachment--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 6,759,471 B1

No. of add'l. copies
@ 30¢ per page



Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,759,471 B1

DATED : July 6, 2004

INVENTOR(S) : HIDEO UKUDA

Page 5 of 6

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 21

Line 5, (Table 1), "1-30" should read --1-x--, and "O₃" should read --O₂--.

Line 12, (Table 1), "1.365" should read --1.366--.

Line 26, (Table 2), "93" should read --19--.

Line 27, (Table 2), "1.475 17.6" should read --1.478 17.8--.

Line 59, (Table 4), "N_d" should read --n_d--.

Line 61, (Table 4), "N_d" should read --n_d--.

Line 63, (Table 4), "N_d" should read --n_d--.

Line 65, (Table 4), "N_d" should read --n_d--.

Column 23

Line 10, "n_d, v_d" should read --(n_d, v_d)-- and "1.8581" should read --(1.8581--.

Line 12, "v_d" should read --v_d)-- and "1.525" should read --(1.525--.

Line 16, "(N_d, v_d = 1.8581" should read --(n_d, v_d) = (1.8581--.

Line 17, "15.6" should read --15.5--.

Line 18, "(N_d, v_d = 1.534" should read --(n_d, v_d) = (1.534--.

Line 41, "<" should read --≤--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 6,759,471 B1

No. of add'l. copies
@ 30¢ per page



Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,759,471 B1

DATED : July 6, 2004

INVENTOR(S) : HIDEO UKUDA

Page 6 of 6

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 25

Line 12, "ration" should read --ratio--.

Column 27

Line 6, "material a" should read --material, a--.

Column 28

Line 20, "22, or 23" should read --22 or 23--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 6,759,471 B1

No. of add'l. copies
@ 30¢ per page

JUN 01 2005



03500.014598 (35.C14598)

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent of:)	
	:	Examiner: Edward J. Cain
HIDEO UKUDA)	
	:	Group Art Unit: 1714
Appl. No.: 09/606,522)	
	:	U.S. Patent No.: 6,759,471 B1
Filed: June 30, 2000)	
	:	Issued: July 6, 2004
For: OPTICAL MATERIAL AND OPTICAL)	
SYSTEM USING IT	:	May 25, 2005

Attn.: CERTIFICATE OF CORRECTION BRANCH

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

**REQUEST FOR A CERTIFICATE OF CORRECTION
UNDER RULES 322 AND 323**

Sir:

It is respectfully requested that a Certificate of Correction be issued by the Patent and Trademark Office due to errors which appear in the printed patent as a result of Patent and Trademark Office mistakes, and mistakes of a clerical, typographical, or minor character, which were not the fault of the Patent and Trademark Office. A Certificate of Correction form (Form PTO-1050), in duplicate, is enclosed.

Accompanying this letter is a check for \$100.00 to cover the statutory fee for such Certificate of Correction.

JUN 01 2005

Patentee's undersigned attorney may be reached in our Washington, D.C. office by telephone at (202) 530-1010. All correspondence should continue to be directed to our address given below.

Respectfully submitted,



Daniel S. Glueck
Attorney for Patentee
Registration No.: 37,838

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
Facsimile: (212) 218-2200

DSG/llp

DC_MAIN 181350v1

Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,759,471 B1

DATED : July 6, 2004

INVENTOR(S) : HIDEO UKUDA

Page 1 of 6

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

IN THE DRAWINGS:

Sheet 13, Figure 14, "SILYCON" should read --SILICONE--.

Column 1

Line 37, "e.g. SPIE" should read --e.g., SPIE--.

Line 59, "Struc" should read --struc--.

Line 67, "then" should read --than--.

Column 2

Line 18, "No. 09-127321" should read -- No. 9-127321--.

Line 32, "etc. In" should read --etc. in--.

Line 47, "Publication Laid-Open No. 6-16450" should read --Application Laid-Open No. 6-16450--.

Line 53, "2-ethozy-ethyl" should read --2-ethoxy-ethyl--.

Column 3

Line 1, "region,.of" should read --region, of--.

Line 20, "O₂" should read --O₂)--.

Line 26, "O₂" should read --O₂)--.

Line 30, "inthird" should read --third--.

Column 5

Line 54, "Example 1:" should read --Example 1;--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 6,759,471 B1

No. of add'l. copies
@ 30¢ per page



Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,759,471 B1

DATED : July 6, 2004

INVENTOR(S) : HIDEO UKUDA

Page 2 of 6

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 6

Line 29, " χ^i " should read -- χ^1 --.

Line 41, "<40" should read -- ≤ 40 --.

Column 7

Line 62, "an" should read --on--.

Column 8

Line 11, " $(n_d 1.38)$ " should read -- $(n_d = 1.38)$ --.

Line 14, " TiO_2 ," should read -- TiO_2 --.

Line 16, " BaTiO_3 ," should read -- BaTiO_3 --.

Line 63, "6.667" should read ---6.667--.

Column 9

Line 25, " TiO_2 ," should read -- TiO_2 --.

Line 27, " TiO_2 ," should read -- TiO_2 --.

Line 36, "In" should read --in--.

Line 37, "6.667" should read -- -6.667--.

Line 40, " v_b " should read -- v_d --.

Line 63, "6.667" should read -- -6.667--.

Column 10

Line 19, "with" should read --with PMMA.--.

Line 21, "6.667" should read -- -6.667--.

Column 11

Line 18, " n_d " should read -- n_d --.

Line 22, "film" should read --films--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 6,759,471 B1

No. of add'l. copies
@ 30¢ per page



Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,759,471 B1

DATED : July 6, 2004

INVENTOR(S) : HIDEO UKUDA

Page 3 of 6

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 12

Line 11, "180C" should read --180°C--
Line 19, "U1000" should read --U4000--.
Line 42, "TiO₂," should read --TiO₂--.
Line 48, "(C₄F₉)" should read --(C₄F₉)₃N--.
Line 63, "is" should be deleted.

Column 13

Line 19, "reflective" should read --refractive-- and "V_d" should read --v_d--.
Line 37, "N-3" should read --N-(3--.
Line 39, "TiO₂," should read --TiO₂--.
Line 48, "TiO₂," should read --TiO₂--.
Line 57, "DK7" should read --BK7--.

Column 14

Line 16, "TiO₂," should read --TiO₂--.
Line 43, "1.9581" should read --1.8581--.

Column 15

Line 20, "6.667" should read --6.667×10⁻³v_d+1.70,--.
Line 23, "Kanabo" should read --Kanebo-- .
Line 26, "articles" should read --particles--.
Line 39, "(n_d>1.29)" should read --(n_d=1.29)--.
Line 63, "n_d" should read --n_d--.
Line 65, "v_d≤'" should read --v_d≤40--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 6,759,471 B1

No. of add'l. copies
@ 30¢ per page

JUN 01 2005



Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,759,471 B1

DATED : July 6, 2004

INVENTOR(S) : HIDEO UKUDA

Page 4 of 6

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 16

Line 5, "TiO₂," should read --TiO₂--.

Line 7, γ -methacryloxypropyltrimethoxysilane" should read
-- γ -methacryloxypropyltrimethoxysilane--.

Line 16, "((n_d=1.59))" should read --(n_d=1.59)--.

Line 17, "((n_d=1.48))" should read --(n_d=1.48)--.

Column 17

Line 34, "ethyltrimethoxysilone" should read --ethyltrimethoxysilane-- .

Line 35, "wan" should read --was--.

Line 53, "BSK7" should read --BK7--.

Column 18

Line 18, "v_d" should read --v_d--.

Line 30, "n_d, v_d=(1.5931" should read --(n_d, v_d)=(1.5938--.

Line 46, "late;" should read --late:--.

Column 19

Line 43, "v_d," should read --v_d--.

Line 50, "TiO₂," should read --TiO₂--.

Line 57, "TIO₂" should read --TiO₂--.

Column 20

Line 2, "on for" should read --on, or for--.

Line 24, "O²" should read --O₂--.

Line 30, "TiO₂," should read --TiO₂--.

Line 67, "due" should read --due to attachment--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 6,759,471 B1

No. of add'l. copies
@ 30¢ per page

Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,759,471 B1

DATED : July 6, 2004

INVENTOR(S) : HIDEO UKUDA

Page 5 of 6

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 21

Line 5, (Table 1), "1-30" should read --1-x--, and "O₃" should read --O₂--.

Line 12, (Table 1), "1.365" should read --1.366--.

Line 26, (Table 2), "93" should read --19--.

Line 27, (Table 2), "1.475 17.6" should read --1.478 17.8--.

Line 59, (Table 4), "N_d" should read --n_d--.

Line 61, (Table 4), "N_d" should read --n_d--.

Line 63, (Table 4), "N_d" should read --n_d--.

Line 65, (Table 4), "N_d" should read --n_d--.

Column 23

Line 10, "n_dv_d" should read --(n_dv_d)-- and "1.8581" should read --(1.8581--.

Line 12, "v_d" should read --v_d)--, and "1.525" should read --(1.525--.

Line 16, "(N_dv_d = 1.8581" should read --(n_dv_d) = (1.8581--.

Line 17, "15.6" should read --15.5--.

Line 18, "(N_dv_d=1.534" should read --(n_dv_d) = (1.534--.

Line 41, "<" should read --≤--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 6,759,471 B1

No. of add'l. copies
@ 30¢ per page

JUN 01 2005



Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,759,471 B1

DATED : July 6, 2004

INVENTOR(S) : HIDEO UKUDA

Page 6 of 6

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 25

Line 12, "ration" should read --ratio--.

Column 27

Line 6, "material a" should read --material, a--.

Column 28

Line 20, "22, or 23" should read --22 or 23--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 6,759,471 B1

No. of add'l. copies
@ 30¢ per page

Form PTO 1050 (Rev. 3-82)

DSG\lp DC_MAIN 181354

JUN 01 2005

